



BS EN 14351 - 1:2006+A1:2010
WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT RESISTANCE
TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

DECLARATION OF CONFORMITY

THIS IS TO CERTIFY THAT

GOSPORT HOME IMPROVEMENTS LIMITED

of

UNIT 2 CRANBOURNE ROAD INDUSTRIAL ESTATE

GOSPORT

HANTS

PO12 1RJ

HAVE CONFORMED TO EN 14351-1:A1:2010 ANNEX ZA

FOR

VERTICAL SLIDING, TILT & TURN, CASEMENT WINDOWS AND DOORS
INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL LOCATIONS

BY

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL COMPLYING
WITH EN 14351-1:A1:2010 ANNEX ZA

PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND PERFORMANCE
INDICATION PAPERS FOR ALL COMPONENTS

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS
LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8
THERMAL CHARACTERISTICS - Clause 4.12
DANGEROUS SUBSTANCES - Clause 4.6

SIGNED



DATE 26-2-14

POSITION DIRECTOR



GOSPORT HOME IMPROVEMENTS LIMITED
of
UNIT 2 CRANBOURNE ROAD INDUSTRIAL ESTATE
GOSPORT
HANTS
PO12 1RJ

13

EN 14351-1:A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

System: : PVCu or Timber Windows and Doors

<u>Characteristics</u>	Declared Value
Dangerous Substances	None
Thermal Transmittance	$\leq 3.2W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	npd
Resistance to snow and permanent load	npd
Reaction to fire	npd
External Fire Performance	npd
Water tightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	$\leq 1.0W/(m^2K)$

SIGNED

DATE 26.2.14

POSITION

DIRECTOR

C E MARKING

RE: EN 14351-1 4.6 **DANGEROUS SUBSTANCES DECLARATION**

We confirm that our manufactured products are not liable to emission or migration of dangerous substances, which could constitute a hazard to health, hygiene or the environment, during the performance of their normal intended use.

C E MARKING TO BS EN 1279 - 5 ANNEX ZA

DANGEROUS SUBSTANCES

Glass is an inert product and only constitutes a risk if broken. This break risk is covered by building regulations within Safety Glazing requirements."

During the normal, intended use and performance of the Insulated Glass Units, they will not cause any adverse effect on hygiene, health or the environment.



MANUFACTURERS & INSTALLERS OF QUALITY PVCU
WINDOWS, DOORS, CONSERVATORIES & PORCHES.
PVCU FASCIAS, SOFFITS & GUTTERS

**ALTERNATIVE IMPROVED THERMAL
PERFORMANCE & "U" VALUES ARE
AVAILABLE BY REFERING TO THE SPECIFIC
VALIDATED SIMULATION OR TEST REPORTS**

UNIT 2, CRANBOURNE ROAD INDUSTRIAL ESTATE, GOSPORT, HANTS. PO12 1RJ
TELEPHONE (023) 92 501666 FACSIMILE (023) 92 522955
VAT REGISTRATION No: 582 7082 23
REGISTERED IN ENGLAND & WALES No. 4468696